



The leading manufacturer
of non-marring,
non-sparking hammers.

Proudly Made in the USA
Since 1956.



NEW!



Pound for Pound,
the World's Greatest Hammers

POUND FOR POUND, THE WORLD'S STRONGEST



INDEX

ABC Hammers, Inc. is the leading manufacturer of non-sparking, non-marring, non-magnetic and corrosion-resistant striking hammers.

They are specifically designed and manufactured from special brass, bronze and other alloys for safe use in and where hazardous, flammable, or combustible vapors, liquids, dusts, or residues may be present. In addition, our hammers should be used in place of steel hammers in any application where surface protection is critical because of their non-marring attributes which include the reduction or elimination of work damage. ABC Hammers should be used by all industrial safety programs and are an inexpensive investment for your company.

ABC Hammers are intended for use in the industries listed below because of their non-sparking, non-marring, nonmagnetic and corrosion-resistant attributes: Making your workplace safer is as easy as ABC—using non-sparking ABC Hammers in any high risk area where a spark can create a disaster.

Among the industries we proudly serve:

- Aerospace
- Agriculture
- Aircraft
- Airports (Refueling and Maintenance)
- Armed Forces
- Assembly Operations
- Auto Body Repair
- Automotive Plants
- Chemical Manufacturing
- Confined Space Maintenance
- Construction
- Demolition
- Flammable Materials Manufacturing
- Furniture Manufacturing
- Gas Plants
- Grain Storage and Handling
- Hazmat Handling
- MRO
- Machine Shops
- Metal Fabrication
- Millwright Work
- Mining
- Oil and Gas Drilling and Refining
- Pipeline Construction and Maintenance
- Propane Distribution
- Public Utilities
- Railroads
- Shipyards
- Tanker Trucks
- Tool and Die Making
- Waste Management
- Water Treatment Facilities

04 Brass Hammers

- Striking
- Sledge
- Drilling and Cut-Off

14 Copper/Bronze Hammers

18 Dead Blow Hammers

- Standard
- Sledge

24 Stryker™ Series Hammers

- Pro
- XHD

BRASS HAMMERS



Our Brass Hammers are the most durable soft face, non-marring, non-sparking hammers.

Our non-marring, soft brass head helps absorb impact and helps reduce or eliminates work damage. They are non-sparking for safe use near combustible materials.

Non-Sparking Brass Head

For safe use near combustible materials.

Non-Marring Brass Head

Helps absorb impact and helps reduce work damage where surface protection is critical.

Wood Handles

Our Tennessee grade-A hickory handles are specially tapered, fire finished, with a tough urethane coating applied, providing better durability and UV protection. They have a textured handle providing a non-slip grip while striking.



Brass Wedges

The ABC brass wedge permanently secures the head to the handle and eliminates the spark danger associated with steel wedges used in other hammers.

Double Faced Brass Head

Cast barrel shaped head offers maximum striking surface while enhancing balance.

Fiberglass Handles

Our fiberglass handles are high visibility yellow in color and are ergonomically designed to help prevent injury from repeated use. Cushion grips provide a non-slip grip and maximum comfort while striking. Shoulder protector design prevents breaking during overstrikes.

BRASS STRIKING HAMMERS

Our brass hammer line is the most durable, non-marring, non-sparking, hammer we offer.

Tennessee Hickory Handles

Tennessee Hickory Handles provide exceptional strength, ergonomics, balance, and shock absorption. Our wood handles are specifically tapered, fire finished, lacquered and have a non-slip safety grip.

Striking Hammers are also available in Bronze/Copper. Please see page 17.



ABC1BW - 1 lb / 0.45kg - 10" handle



ABC1.5BW - 1.5 lb / 0.68kg - 12.5" handle



ABC2BW - 2 lb / 0.90kg - 12.5" handle



ABC3BW - 3 lb / 1.35kg - 12.5" handle



ABC4BW - 4 lb / 1.80kg - 15" handle



ABC5BW - 5 lb / 2.25kg - 15" handle

Fiberglass Handles

Fiberglass Handles provide exceptional breaking resistance to overstrikes. They are long-lasting and colored in high-visibility yellow. Our fiberglass handles have a non-slip safety grip.



ABC1BFB - 1 lb / 0.45kg - 10.5" handle



ABC1.5BFB - 1.5 lb / 0.68kg - 10.5" handle



ABC2BFB - 2 lb / 0.90kg - 12" handle



ABC3BFB - 3 lb / 1.35kg - 12" handle



ABC3BF - 3 lb / 1.35kg - 14" handle



ABC4BFB - 4 lb / 1.80kg - 12" handle



ABC4BF - 5 lb / 2.25kg - 14" handle



ABC5BFB - 5 lb / 2.25kg - 12" handle



ABC5BF - 5 lb / 2.25kg - 14" handle



ABC6BFB - 6 lb / 2.70kg - 13.5" handle

BRASS SLEDGE HAMMERS

Our brass hammer line is non-marring and non-sparking.

Tennessee Hickory Handles

Tennessee Hickory Handles provide exceptional strength, ergonomics, balance, and shock absorption. Our wood handles are specifically tapered, fire finished, lacquered and have a non-slip safety grip.

Sledge Hammers are also available in Bronze/Copper. Please see page 17.



ABC6BWS - 6 lb / 2.70kg - 21" handle



ABC6BW - 6 lb / 2.70kg - 32" handle



ABC8BWS - 8 lb / 3.60kg - 21" handle



ABC8BW - 8 lb / 3.60kg - 32" handle



ABC10BWS - 10 lb / 4.50kg - 21" handle



ABC10BW - 10 lb / 4.50kg - 32" handle



ABC12BW - 12 lb / 5.40kg - 32" handle



ABC14BW - 14 lb / 6.30kg - 32" handle



AB20BW - 20 lb / 9.0kg - 32" handle

BRASS SLEDGE HAMMERS

Our brass hammer line is non-marring and non-sparking.

Fiberglass Handles

Fiberglass Handles provide exceptional breaking resistance to overstrikes. They are long-lasting and colored in high-visibility yellow. Our fiberglass handles have a non-slip safety grip.

Sledge Hammers are also available in Bronze/Copper. Please see page 17.



ABC6BFBS - 6 lb / 2.70kg - 21.5" handle



ABC6BF - 6 lb / 2.70kg - 33" handle



ABC8BFBS - 8 lb / 3.60kg - 22" handle



ABC8BF - 8 lb / 3.60kg - 33" handle



ABC10BFBS - 10 lb / 4.50kg - 22" handle



ABC10BF - 10 lb / 4.50kg - 33" handle



ABC12BF - 12 lb / 5.40kg - 33" handle



ABC14BF - 14 lb / 6.30kg - 33" handle



AB20BF - 20 lb / 9.0kg - 33" handle

BRASS DRILLING AND CUT-OFF HAMMERS

Our brass hammer line is non-marring and non-sparking.

Fiberglass Handles

Fiberglass Handles provide exceptional breaking resistance to overstrikes. They are long-lasting and colored in high-visibility yellow. Our fiberglass handles have a non-slip safety grip.

Drilling and Cut-off Hammers are also available in Bronze/Copper. Please see page 13.



ABC2BFS - 2 lb / 0.90kg - 8" handle



ABC3BFS - 3 lb / 1.35kg - 8" handle



ABC4BFS - 4 lb / 1.80kg - 8" handle



ABC5BFS - 5 lb / 2.25kg - 8" handle



ABCWBW - 2.5 lb / 1.10kg - 12" handle

BRASS HAMMER SPECIFICATIONS

Our brass hammer line is non-marring and non-sparking.

Brass Striking Hammers

Item #	Head Weight (lbs/kg)	Handle	Handle Length
ABC1BW	0.5 lbs/0.23 kg	Wood	10"/255mm
ABC1.5BW	1.5 lbs/0.68 kg	Wood	12.5"/320mm
ABC2BW	2.0 lbs/0.90 kg	Wood	12.5"/320mm
ABC3BW	3.0 lbs/1.35 kg	Wood	12.5"/320mm
ABC4BW	4.0 lbs/1.80 kg	Wood	15"/380mm
ABC5BW	5.0 lbs/2.25 kg	Wood	15"/380mm
ABC1BFB	1.0 lbs/0.45 kg	Fiberglass	10.5"/270mm
ABC1.5BFB	1.5 lbs/0.68 kg	Fiberglass	10.5"/270mm
ABC2BFB	2.0 lbs/0.90 kg	Fiberglass	12"/305mm
ABC3BFB	3.0 lbs/1.35 kg	Fiberglass	12"/305mm
ABC3BFB	3.0 lbs/1.35 kg	Fiberglass	14"/355mm
ABC4BFB	4.0 lbs/1.80 kg	Fiberglass	12"/305mm
ABC4BFB	4.0 lbs/1.80 kg	Fiberglass	14"/355mm
ABC5BFB	5.0 lbs/2.25 kg	Fiberglass	12"/305mm
ABC5BFB	5.0 lbs/2.25 kg	Fiberglass	14"/355mm
ABC6BFB	6.0 lbs/2.70 kg	Fiberglass	13.5"/345mm

Brass Drilling Hammers

Item #	Head Weight (lbs/kg)	Handle	Handle Length
ABC2BFS	2.0 lbs/0.90 kg	Fiberglass	8"/205mm
ABC3BFS	3.0 lbs/1.35 kg	Fiberglass	8"/205mm
ABC4BFS	4.0 lbs/1.80 kg	Fiberglass	8"/205mm
ABC5BFS	5.0 lbs/2.25 kg	Fiberglass	8"/205mm

Brass Sledge Hammers

Item #	Head Weight (lbs/kg)	Handle	Handle Length
ABC6BWS	6.0 lbs/2.70 kg	Wood	21"/535mm
ABC6BW	6.0 lbs/2.70 kg	Wood	32"/810mm
ABC8BWS	8.0 lbs/3.60 kg	Wood	21"/535mm
ABC8BW	8.0 lbs/3.60 kg	Wood	32"/810mm
ABC10BWS	10.0 lbs/4.50 kg	Wood	21"/535mm
ABC10BW	10.0 lbs/4.50 kg	Wood	32"/810mm
ABC12BW	12.0 lbs/5.40 kg	Wood	32"/810mm
ABC14BW	14.0 lbs/6.30 kg	Wood	32"/810mm
ABC20BW	20.0 lbs/9.0 kg	Wood	32"/810mm
ABC6BFB	6.0 lbs/2.70 kg	Fiberglass	21.5"/546mm
ABC6BFB	6.0 lbs/2.70 kg	Fiberglass	33"/840mm
ABC8BFB	8.0 lbs/3.6 kg	Fiberglass	22"/560mm
ABC8BFB	8.0 lbs/3.6 kg	Fiberglass	33"/840mm
ABC10BFB	10.0 lbs/4.50 kg	Fiberglass	22"/560mm
ABC10BFB	10.0 lbs/4.50 kg	Fiberglass	33"/840mm
ABC12BFB	12.0 lbs/5.40 kg	Fiberglass	33"/840mm
ABC14BFB	14.0 lbs/6.30 kg	Fiberglass	33"/840mm
ABC20BFB	20.0 lbs/9.0 kg	Fiberglass	33"/840mm

Brass Cut-Off Hammers

Item #	Head Weight (lbs/kg)	Handle	Handle Length
ABCWBW	2.5 lbs/1.10 kg	Wood	12"/304mm

BRONZE/ COPPER HAMMERS



Our Bronze/Copper line is the softest face hammer we offer and should be used where surface protection is critical. Our Bronze/Copper hammers will not mar harder metals and are safe for industries and applications that require non-sparking implements.

Consult the chart on page 17 for more information on the Bronze/Copper hammers. Other special alloys are available on request.

Non-Marring Bronze Head

Helps absorb impact and helps reduce work damage where surface protection is critical.

Double Faced Bronze Head

Cast barrel shaped head offers maximum striking surface while enhancing balance.

Wood Handles

Our Tennessee grade-A hickory handles are specially tapered, fire finished, with a tough urethane coating applied, providing better durability and UV protection. They have a textured handle providing a non-slip grip while striking.

Brass Wedges

The ABC brass wedge permanently secures the head to the handle and eliminates the spark danger associated with steel wedges used in other hammers.

Non-Sparking Bronze Head

For safe use near combustible materials.

Fiberglass Handles

Our fiberglass handles are high visibility yellow in color and are ergonomically designed to help prevent injury from repeated use. Cushion grips provide a non-slip grip and maximum comfort while striking. Shoulder protector design prevents breaking during overstrikes.

BRONZE/ COPPER HAMMERS

Our bronze/copper hammer line is the softest face hammer we offer.



Striking Hammers



Sledge Hammers



Drilling Hammers



Cut-Off Hammers

BRONZE/COPPER HAMMER SPECIFICATIONS

Our bronze/copper hammer line is the softest face hammer we offer.

Bronze/Copper Striking Hammers

Item #	Head Weight (lbs/kg)	Handle	Handle Length
ABC1BZW	0.5 lbs/0.23 kg	Wood	10"/255mm
ABC1.5BZW	1.5 lbs/0.68 kg	Wood	12.5"/320mm
ABC2BZW	2.0 lbs/0.90 kg	Wood	12.5"/320mm
ABC3BZW	3.0 lbs/1.35 kg	Wood	12.5"/320mm
ABC4BZW	4.0 lbs/1.80 kg	Wood	15"/380mm
ABC5BZW	5.0 lbs/2.25 kg	Wood	15"/380mm
ABC1BZFB	1.0 lbs/0.45 kg	Fiberglass	10.5"/270mm
ABC1.5BZFB	1.5 lbs/0.68 kg	Fiberglass	10.5"/270mm
ABC2BZFB	2.0 lbs/0.90 kg	Fiberglass	12"/305mm
ABC3BZFB	3.0 lbs/1.35 kg	Fiberglass	12"/305mm
ABC3BZFB	3.0 lbs/1.35 kg	Fiberglass	14"/355mm
ABC4BZFB	4.0 lbs/1.80 kg	Fiberglass	12"/305mm
ABC4BZFB	4.0 lbs/1.80 kg	Fiberglass	14"/355mm
ABC5BZFB	5.0 lbs/2.25 kg	Fiberglass	12"/305mm
ABC5BZFB	5.0 lbs/2.25 kg	Fiberglass	14"/355mm
ABC6BZFB	6.0 lbs/2.70 kg	Fiberglass	13.5"/345mm

Bronze/Copper Drilling Hammers

Item #	Head Weight (lbs/kg)	Handle	Handle Length
ABC2BZFS	2.0 lbs/0.90 kg	Fiberglass	8"/205mm
ABC3BZFS	3.0 lbs/1.35 kg	Fiberglass	8"/205mm
ABC4BZFS	4.0 lbs/1.80 kg	Fiberglass	8"/205mm
ABC5BZFS	5.0 lbs/2.25 kg	Fiberglass	8"/205mm

Bronze/Copper Sledge Hammers

Item #	Head Weight (lbs/kg)	Handle	Handle Length
ABC6BZWS	6.0 lbs/2.70 kg	Wood	21"/535mm
ABC6BZW	6.0 lbs/2.70 kg	Wood	32"/810mm
ABC8BZWS	8.0 lbs/3.60 kg	Wood	21"/535mm
ABC8BZW	8.0 lbs/3.60 kg	Wood	32"/810mm
ABC10BZWS	10.0 lbs/4.50 kg	Wood	21"/535mm
ABC10BZW	10.0 lbs/4.50 kg	Wood	32"/810mm
ABC12BZW	12.0 lbs/5.40 kg	Wood	32"/810mm
ABC14BZW	14.0 lbs/6.30 kg	Wood	32"/810mm
ABC20BZW	20.0 lbs/9.0 kg	Wood	32"/810mm
ABC6BZFB	6.0 lbs/2.70 kg	Fiberglass	21.5"/546mm
ABC6BZFB	6.0 lbs/2.70 kg	Fiberglass	33"/840mm
ABC8BZFB	8.0 lbs/3.6 kg	Fiberglass	22"/560mm
ABC8BZFB	8.0 lbs/3.6 kg	Fiberglass	33"/840mm
ABC10BZFB	10.0 lbs/4.50 kg	Fiberglass	22"/560mm
ABC10BZFB	10.0 lbs/4.50 kg	Fiberglass	33"/840mm
ABC12BZFB	12.0 lbs/5.40 kg	Fiberglass	33"/840mm
ABC14BZFB	14.0 lbs/6.30 kg	Fiberglass	33"/840mm
ABC20BZFB	20.0 lbs/9.0 kg	Fiberglass	33"/840mm

Bronze/Copper Cut-Off Hammers

Item #	Head Weight (lbs/kg)	Handle	Handle Length
ABCWBZW	2.5 lbs/1.10 kg	Wood	12"/304mm

DEAD BLOW HAMMERS



Our Dead Blow Hammers are a one piece, hot cast polyurethane construction, engineered to perform better and outlast rawhide, rubber, lead and other plastic type hammers by 10-20 times.

Utilizing the benefits of polyurethane technology, no other plastic or rubber materials currently used can result in a stronger, longer lasting dead blow hammer.

Polyurethane Convex Striking Face

Convex faces on heads resist chipping, splitting and are cut resistant. They are designed to withstand severe striking applications. The heads provide a non marring contact surface that eliminates or minimizes denting, marring and damage to struck objects.

High Visibility

High visibility "Red" color makes them easier and quicker to spot on the job.

Non-Sparking, Non-Marring And Chemical Resistant

Our dead blow hammers are completely encased with unique polyurethane which eliminates any exposed metal making them spark-resistant for safe use near combustible materials. This specially formulated polyurethane resists most oil, solvents and chemicals. They are also non-marring making them the perfect tool for virtually any hammering application.

Steel Shot Filled Canister

Steel shot filled canister creates a dead blow effect for sustained impact, maximum force and power, reduces or eliminates rebound and absorbs the shock on impact. The free flowing shot concentrates the intensity of the hammer strike and increases striking force by up to 40 percent. It also absorbs the blow minimizing bounce back, reducing fatigue and the risk of injury, and improving productivity.

Hot Cast Polyurethane Construction

Our dead blow hammers are a one piece, hot cast polyurethane construction, engineered to perform better and outlast rawhide, rubber, lead and other plastic type hammers by 10-20 times. Utilizing the benefits of urethane technology, no other plastic or rubber materials currently used can result in a stronger, longer lasting dead blow hammer.

Steel Reinforced Polyurethane Handle

Handles have a heat treated steel reinforced rod that provides added strength and safety by resisting breaking on overstrikes. The handle is fully encased in hot cast custom formulated polyurethane. The comfort design handle absorbs shock, ensures comfort and has a slip-resistant grip along with a flared end which helps prevent the hammer from slipping.



DEAD BLOW STANDARD HAMMERS

Our dead blow hammer line sets a new standard for soft performance.



ABC51DB - 1.1 lb / 18 oz - Overall length 10.50"

ABC1DB - 1.3 lb / 21 oz - Overall length 11.25"

ABC2DB - 1.6 lb / 26 oz - Overall length 12.75"

ABC3DB - 2.8 lb / 45 oz - Overall length 14.375"

ABC4DB - 3.3 lb / 53 oz - Overall length 15.25"

DEAD BLOW SLEDGE HAMMERS

Our dead blow hammer line sets a new standard for soft performance.



ABC7DB - 5.5 lb / 88 oz - Overall length 20"

ABC9DB - 9.5 lb / 152 oz - Overall length 20"

ABC10DB - 9.0 lb / 144 oz - Overall length 30"

ABC12DB - 10.5 lb / 168 oz - Overall length 30"

ABC14DB - 12.0 lb / 192 oz - Overall length 36"

DEAD BLOW HAMMERS APPLICATIONS AND INDUSTRIES

- Agriculture
- Aircraft Maintenance
- Assembly Work
- Automotive
- Custom Fabrication
- Construction
- Electrical
- Fire/Public Safety
- Fitness/Training
- Foundry Operations
- Grain Elevators
- Heavy Duty Truck and Equipment
- HVAC
- Landscaping
- Log/Timber Home Building
- Machine Shop
- Machinery Repair
- Marine
- Motorcycle Shop
- Pipeline/Oil Field
- Plumbing
- Railroads
- Shipyards
- Tractor/Farm Equipment
- Waste Treatment Plants

DEAD BLOW HAMMER SPECIFICATIONS

Our dead blow hammer line sets a new standard for soft performance.

Dead Blow Standard Hammers

Item #	Weight (lbs/oz)	Face Diameter	Overall Length
ABC51DB	1.1 lbs/18 oz	1.25"/32mm	10.5"/267mm
ABC1DB	1.3 lbs/21 oz	1.675"/43mm	11.25"/286mm
ABC2DB	1.6 lbs/26 oz	2.00"/51mm	12.75"/324mm
ABC3DB	2.8 lbs/45 oz	2.25"/57mm	14.375"/365mm
ABC4DB	3.3 lbs/53 oz	2.75"/70mm	15.25"/387mm

Dead Blow Sledge Hammers

Item #	Weight (lbs/oz)	Face Diameter	Overall Length
ABC7DB	5.5 lbs/88 oz	2.75"/70mm	20"/508mm
ABC9DB	9.5 lbs/152 oz	3.25"/83mm	20"/508mm
ABC10DB	9.0 lbs/144 oz	2.75"/70mm	30"/762mm
ABC12DB	10.5 lbs/168 oz	3.25"/83mm	30"/762mm
ABC14DB	12.0 lbs/192 oz	3.25"/83mm	36"/914mm



STRYKER™ SERIES

YOU ASKED FOR IT, WE DELIVERED

**POUND FOR POUND,
THE WORLD'S
STRONGEST HAMMER**



Built for the toughest jobs
on the planet.

ABC Hammers is proud to present our Stryker™ series, the most durable hammers in the world today. Incorporating spring steel technology makes our reinforced rubber handles unbreakable. Our innovative locking plate design and unique bonding process ensures the head will never separate from the handle.

Drop Forged Steel Head

Our high visibility steel heads conform to ANSI, BS876 & ISO 15601 specifications and the faces are induction hardened to 50-58 HRC with a superior grain structure for extended life.

TESTED TO OVER
**36,000
STRIKES**
WITHOUT FAILURE

Steel Locking Plate

Our unique steel locking plate design ensures the head will never separate from the handle.

Shock Absorbing, Non-Slip Handle

The new shock absorbing, non-slip handle provide less recoil and boasts a reinforced steel lanyard hole for added safety. Our hammers will outlast wood or fiberglass hammers by thousands of overstrikes.

Thickened Boss

Further protects from countless overstrikes.

Reinforced Spring Steel Rods

Our innovative, high performance handle is engineered using a reinforced spring steel rod encased in a high impact resistant co-polymer material specifically formulated to meet the rigorous requirements of every type of environment.

Positive Locking Plate

Our innovative locking plate design and unique bonding process ensures the head will never separate from the handle.

Ergonomic Shape

Our handle is shaped to provide a comfortable secure grip in both wet and dry conditions, making it the ultimate in safety and reliability.

Superior Quality Rubber


The abrasive-resistant rubber is injected all the way into the eye of the hammer. The rubber in the eye inhibits the transfer of shock into the handle, reducing fatigue and the risk of injury.

High Tensile Steel Rods

Our handle consists of high tensile spring steel rods, which are molded in a very strong and abrasive-resistant rubber, making it unbreakable with superior durability.

Steel Reinforced Lanyard Hole

Safely secures the hammer to wrist or stationary object.



STRYKER™ PRO SERIES

ABC Hammers is proud to present our Stryker™ series, the most durable hammers in the world today. Incorporating spring steel technology makes our reinforced rubber handles unbreakable. Our innovative locking plate design and unique bonding process ensures the head will never separate from the handle.



Hand Sledge Hammers



Sledge Hammers



Ball Pein Hammers



Cross Pein Hammers

With over 6 million units sold worldwide, this is the hammer that all others try to imitate.

STRYKER™ PRO SERIES SPECIFICATIONS

The original rubber handle sledge.

Hand Sledge Hammer—Steel Reinforced Rubber Handle

Item #	Head Weight (lbs/kg)	Handle Length	Handle Material	Head Material
PRO2125	2.5 lbs/1.1 kg	12"/300mm	Steel Reinforced Rubber	Drop Forged Steel
PRO4125	4.0 lbs/1.8 kg	12"/300mm	Steel Reinforced Rubber	Drop Forged Steel

Sledge Hammer—Steel Reinforced Rubber Handle

Item #	Head Weight (lbs/kg)	Handle Length	Handle Material	Head Material
PRO4165	4.0 lbs/1.8 kg	16"/400mm	Steel Reinforced Rubber	Drop Forged Steel
PRO6165	6.0 lbs/2.7 kg	16"/400mm	Steel Reinforced Rubber	Drop Forged Steel
PRO6245	6.0 lbs/2.7 kg	24"/600mm	Steel Reinforced Rubber	Drop Forged Steel
PRO6305	6.0 lbs/2.7 kg	30"/750mm	Steel Reinforced Rubber	Drop Forged Steel
PRO8245	8.0 lbs/3.6 kg	24"/600mm	Steel Reinforced Rubber	Drop Forged Steel
PRO8305	8.0 lbs/3.6 kg	30"/750mm	Steel Reinforced Rubber	Drop Forged Steel
PRO8365	8.0 lbs/3.6 kg	36"/900mm	Steel Reinforced Rubber	Drop Forged Steel
PRO10305	10.0 lbs/4.5 kg	30"/750mm	Steel Reinforced Rubber	Drop Forged Steel
PRO10365	10.0 lbs/4.5 kg	36"/900mm	Steel Reinforced Rubber	Drop Forged Steel
PRO12305	12.0 lbs/5.4 kg	30"/750mm	Steel Reinforced Rubber	Drop Forged Steel
PRO12365	12.0 lbs/5.4 kg	36"/900mm	Steel Reinforced Rubber	Drop Forged Steel
PRO14305	14.0 lbs/6.3 kg	30"/750mm	Steel Reinforced Rubber	Drop Forged Steel
PRO14365	14.0 lbs/6.3 kg	36"/900mm	Steel Reinforced Rubber	Drop Forged Steel

Ball Pein Hammer—Steel Reinforced Rubber Handle

Item #	Head Weight (oz/g)	Handle Length	Handle Material	Head Material
PRO2414BP	24 oz/700 g	14"/350mm	Steel Reinforced Rubber	Drop Forged Steel
PRO3214BP	32 oz/900 g	14"/350mm	Steel Reinforced Rubber	Drop Forged Steel
PRO4014BP	40 oz/1100 g	14"/350mm	Steel Reinforced Rubber	Drop Forged Steel

Cross Pein Hammer—Steel Reinforced Rubber Handle

Item #	Head Weight (lbs/kg)	Handle Length	Handle Material	Head Material
PRO2516CP	2.5 lbs/1.1 kg	16"/400mm	Steel Reinforced Rubber	Drop Forged Steel
PRO3516CP	3.5 lbs/1.6 kg	16"/400mm	Steel Reinforced Rubber	Drop Forged Steel



STRYKER™ XHD SERIES

The newest in unbreakable technology.

The XHD Series sets a new standard in unbreakable technology and was built with cost in mind. Our innovative, high performance handle is engineered using a reinforced spring steel rod encased in a high impact resistant co-polymer material specifically formulated to meet the rigorous requirements of every type of environment. Our unique steel locking plate design ensures the head will never separate from the handle. The new shock absorbing, non-slip handle provides less recoil and boasts a reinforced steel lanyard hole for added safety. Our hammers will outlast wood or fiberglass hammers by thousands of overstrikes.



Hand Sledge Hammers

Sledge Hammers

STRYKER™ XHD SERIES SPECIFICATIONS


The newest in unbreakable technology.

Hand Sledge Hammer—Steel Reinforced Poly Handle

Item #	Weight (lbs/kg)	Handle Length	Handle Material	Head Material
XHD2125	2.5 lbs/1.1 kg	12"/300mm	Steel Reinforced Poly	Drop Forged Steel
XHD4125	4.0 lbs/1.8 kg	12"/300mm	Steel Reinforced Poly	Drop Forged Steel

Sledge Hammer—Steel Reinforced Poly Handle

Item #	Weight (lbs/kg)	Handle Length	Handle Material	Head Material
XHD6245	6.0 lbs/2.7 kg	24"/600mm	Steel Reinforced Poly	Drop Forged Steel
XHD6305	6.0 lbs/2.7 kg	30"/750mm	Steel Reinforced Poly	Drop Forged Steel
XHD8245	8.0 lbs/3.6 kg	24"/600mm	Steel Reinforced Poly	Drop Forged Steel
XHD8305	8.0 lbs/3.6 kg	30"/750mm	Steel Reinforced Poly	Drop Forged Steel
XHD10305	10.0 lbs/4.5 kg	30"/750mm	Steel Reinforced Poly	Drop Forged Steel
XHD12305	12.0 lbs/5.4 kg	30"/750mm	Steel Reinforced Poly	Drop Forged Steel
XHD14305	14.0 lbs/6.3 kg	30"/750mm	Steel Reinforced Poly	Drop Forged Steel





ABC Hammers, Inc. Proudly Made in the USA Since 1956.

7216 21st E, Sarasota, FL 34243 | Phone 708.343.9900 | Toll Free 855.343.9900 | abchammers.com

Lifetime Warranty: ABC Hammers, Inc. warrants its hammers to be defect free in workmanship and materials for the useful life of the product. This warranty does not apply to any defects or problems caused in whole or part by misuse, abuse, alteration, worn out by use, or damage due to ordinary wear and tear. Replacement is the exclusive remedy and ABC Hammers, Inc. makes no other warranties, express or implied, with respect to the hammers or their suitability for specific applications.